

What is claimed is:

- Sub
a2
1. A method of encrypting, comprising:
obtaining text-containing information;
5 formatting said text-containing information into a
format for display, to form formatted unencrypted
information; and
encrypting said formatted unencrypted information to
form formatted encrypted information.
10
2. A method as in claim 1, wherein said text-
containing information is one of ASCII text, text
information and font information or HTML.
- 15 3. A method as in claim 1, further comprising:
transmitting said formatted encrypted information over
a channel to a client; and
at said client, decrypting and displaying said
formatted unencrypted information.
20
4. A method as in claim 1, wherein said encrypting
comprises determining a distance to a transition between a
first color and a second color, and coding said distance.

5. A method as in claim 1, further comprising changing some aspect of said encrypting, to make it more difficult to decode said information without a decryption key.

5

6. A method as in claim 5, wherein said changing comprises changing a length or direction of the coding.

7. A method as in claim 3, wherein said encrypting comprises encrypting a chunk of said information at a time, where said chunk includes a line of information, and wherein said decrypting comprises decrypting said chunk of information and displaying said chunk of information.

8. A method as in claim 7, wherein said chunk length is variable.

9. A computer program apparatus comprising:
machine readable storage media, including instructions
that are effective to:
obtain a text-containing file,
format said text containing file into a display-
formatted form for display;

004240" 82225560

encoding a first chunk of said display-formatted form
text containing file, based on its display form to obtain
machine readable information indicative of said chunk,
wherein said chunk is less than an entire page of said
5 display-formatted form; and

encrypt said machine readable numbers, to form
encrypted information.

10. An apparatus as in claim 9, further comprising
10 instructions to:

receive a chunk of encrypted information; and
decrypt said chunk into unencrypted form.

11. An apparatus as in claim 9, further comprising
15 instructions to:

vary a size of chunks, so that a second chunk on the
same page as said first chunk, has a different size than
said first chunk.

20 12. An apparatus as in claim 10, wherein said
instructions to decrypt are executed on a portable
computer.

13. A method of encrypting, comprising:

00440" B2225560

obtaining text-containing information, which is one of
is one of ASCII text, a word processing file, or HTML;

formatting said text-containing information into a
format for display, to form formatted unencrypted
5 information;

encrypting said formatted unencrypted information
according to an encryption key, to form formatted encrypted
information, said encrypting comprising determining
distances between transitions in said formatted unencrypted
10 information;

transmitting said formatted encrypted information over
a channel to a client; and

at said client, decrypting and displaying said
formatted unencrypted information.
15

14. A method as in claim 13, further comprising
changing some aspect of said encrypting, to prevent
decryption by stitching together parts of the information.

20 15. A method as in claim 13, wherein said encrypting
comprises determining distances between transitions on a
specified line of the formatted information, and
determining numbers indicative of said distances.